

Unfold Pendant Lamp

“We wanted to bring a new perspective to the classic industrial light with the Unfold Pendant Lamp, creating an expression that is at once timeless and modern. To achieve this, the design comes in a rubber silicone material for a playful and tactile character along with a matte touch. With its modern and flexible material, the Unfold Pendant Lamp can be folded into a flat box for eco-friendly shipping and a contemporary look.”

— Form Us With Love



Designed by	Form Us With Love
About the Designer	Form Us With Love is a Stockholm-based multidisciplinary design and interior architecture studio. Their work has won several prestigious awards such as the Red Dot and Young Swedish Design Awards. Further accrediting the trio are successful exhibitions at venues like MoMA and the Swedish National Gallery.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	A quirky take on the industrial pendant lampshade, the Unfold Pendant Lamp is useful in any home or professional space. Made of soft silicone rubber, the pendant is available in a wide range of colors to brighten up any room.
Material	Shade is made in silicone rubber and cord is made in PVC. The diffuser is made in a clear frosted opal acrylic material. The shade is pressed in vulcanised rubber under high temperature. Diffuser and socket holder cut by laser.
Cleaning & Care	Clean with soft, dry or moist cloth. Always switch off the electricity supply before cleaning
Cord Length	350 cm / 137.8"
Light Source Included	No.
Ceiling Cap Included	Yes.
Dimmable Function	Yes.

Unfold Pendant Lamp

Dimensions

Height:	29,5 cm / 11.5"
Diameter:	32,5 cm / 12.8"
Cord Length:	350 cm / 137.8"



Ready-to-Ship

Dark Grey	
Black	
Yellow	
Light Grey	
Green	
Orange	
White	
Mustard	
Terracotta	
Beige-Rose	
Olive	
Light Yellow	
Dark Brown	

Lamp Rating

Voltage	220-240V
Frequency	50Hz
IP Rating	IP20
Classification	Class II
Socket	1 x E27
	Max. 60W Type G
	Max. 20W CFL
	Max. 18W LED

Light Source Recommendation

Lamp Base	E27
Dimensions	Ø60 x 110 mm
Light Source Shape	A60
Light Source Type	LED
Max Voltage	Max. 60W Type G
	Max. 20W CFL
	Max. 18W LED

Unfold Pendant Lamp

Tests, Labels & Certifications

- Electromagnetic Compatibility
- Safety & Regulations

Electromagnetic Compatibility (EMC)

CCC
EAC Certificate
ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Regulatory Compliance Mark (RCM)
Restriction of Hazardous Substances Directive (RoHs)
Waste of Electronic and Electrical Equipment (WEEE)



[Explore Assets](#)

[DOWNLOAD SITE](#)