

EIDOS

— By Actiu —



EID
OS

An exquisite set of side tables, aptly named **Eidos**, derived from the Cireek word meaning, "form", "appearance", "type" or "kind".

These side tables offer a level of versatility that allows effortless transformation of lobbies and waiting areas into captivating spaces with their diverse shape represents the essence of an object and giving the area a singular aspect.



ACTIU

www.actiu.com

Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.

A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...



Models	Eidos · Coffee table :: Height 250 mm	
Structure	Legs made of hot-rolled cylindrical steel tube Ø16 mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
Technical characteristics		
Supports	Black non-slip rubber pad with felt silent pad-anti scratch.	
Surfaces	<ul style="list-style-type: none"> • MFC: Chipboard with melamine surface in different finishes with a thickness of 16 and 19 mm. • MDF: Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge. • COMPACT: 10 mm thick compact board made of wood fibres. Black core covered with white or decorated high pressure laminate and bevelled edge. • DEKTON®: The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge. 	
Measures	Total Measures: Height: 250 mm Width: 1200 mm Depth: 600 mm	Total Measures: Height: 250 mm Width: Ø900 mm Depth: Ø900 mm
Dimensions		



Models	Eidos · Coffee table :: Height 310 mm	
Structure	Legs made of hot-rolled cylindrical steel tube Ø16 mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
Technical characteristics		
Supports	Black non-slip rubber pad with felt silent pad-anti scratch.	
Surfaces	<ul style="list-style-type: none"> • MFC: Chipboard with melamine surface in different finishes with a thickness of 16 and 19 mm. • MDF: Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge. • COMPACT: 10 mm thick compact board made of wood fibres. Black core covered with white or decorated high pressure laminate and bevelled edge. • DEKTON®: The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge. 	
Measures	Total Measures: Height: 310 mm Width: 500 mm Depth: 500 mm	Total Measures: Height: 310 mm Width: Ø600 mm Depth: Ø600 mm
Dimensions		



Models	Eidos · Auxiliary Tables :: Height 450 mm	
Structure	Legs made of hot-rolled cylindrical steel tube Ø16 mm and e=2 mm with epoxy paint coating 90 microns thick. Lower steel brackets with a cross-section of 30 x 6 mm. Central joining piece made of polyamide (PA) injection moulding, giving the product stability and robustness.	
Technical characteristics		
Supports	Black non-slip rubber pad with felt silent pad-anti scratch.	
Surfaces	<ul style="list-style-type: none"> • MFC: Chipboard with melamine surface in different finishes with a thickness of 16 and 19 mm. • MDF: Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge. • COMPACT: 10 mm thick compact board made of wood fibres. Black core covered with white or decorated high pressure laminate and bevelled edge. • DEKTON®: The Technical Ultracompact Stone, a sophisticated blend of raw materials used to manufacture state-of-the-art porcelain tiles. 12 mm thick and bevelled edge. 	
Measures	<p>Total Measures: Height: 450 mm Width: 500 mm Depth: 500 mm</p>	<p>Total Measures: Height: 450 mm Width: Ø600 mm Depth: Ø600 mm</p>
Dimensions		


Finishes available · Lounge chair and sofa

Structure



Desk-top finishes

MFC · Thickness: 16 mm with straight edge




Compact · Thickness: 10 mm with bevelled edge

Black core


Coloured core



MDF · Thickness: 19 mm with bevelled edge



Dekton® · Thickness: 12 mm with bevelled edge



Weight and Volume // Ecodesign

EIDOS								
MODEL	Packs	Weight	Volume	Materials Recycled materials	Production Aluminium, steel and wood	Transport Package and thinner free	Use To clean and maintain	Disposal Recyclable materials
	2	15,94 kg	0,067 m ³	High	100%	100%	Very Easy	High
	2	21,11 kg	0,150 m ³	High	100%	100%	Very Easy	High
	2	-	-	High	100%	100%	Very Easy	High
	2	17,71 kg	0,067 m ³	High	100%	100%	Very Easy	High
	2	-	-	High	100%	100%	Very Easy	High
	2	-	-	High	100%	100%	Very Easy	High

Materials: Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

Production: Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

Transport: Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

Use: Quality and warranty. Long lasting. Replacements available.

Disposal: Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

Standards

EIDOS has passed tests done in our technical department as well as the tests done in AIDIMME the Technological Institute for furniture. The tests correspond to:

Standard	Description
UNE-EN 15372:2017	Furniture. Strength, durability and safety. Requirements for non-domestic tables.

Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

